

I - Identification of the Substance and of the Company

SUPPLIER: RMO, Inc.
650 W. Colfax Ave.
Denver, CO 80204
303-592-8200

Trade Name and Synonyms: NON-LATEX ELASTICS/ ULTRA NON-LATEX ELASTICS/ GLOW ELASTICS
Description: Non-Latex Elastics

Emergency Information Chemtrec: 800-424-9300
Chemtrec International: 202-483-7616

Product Grade / Name:

ChemicalName: STYRENE BUTADIENE COPOLYMER FORMULA
Chemical Family: BLOCK COPOLYMER

II –Composition/Information on Ingredients

INGREDIENT NAME	/CAS #	EXPOSURE LIMITS	CONCENTRATION
STYRENEBUT ADIENE	9003-55-8	N/A	<65%
MINERAL OIL	8042-47-5	N/A ZINC	<40%
STEARATE	567-05-1	N/A ANTIOXIDANTE/	< 1%
STABILIZERS			< 1%
MAGNESIUM CARBONATE	546-93-0	N/A	< 1%
HYDRATED	63231-67-4	N/A	< 1%
AMORPHOUS SILICA			< 1%

III – Hazards Identification

Medical Conditions Aggravated by Exposure: No known effects
Exposure Limits: None
Potential Health Effects: None
Routes of Entry: N/A
Human Effects and Symptoms of Overexposure: N/A
Acute Inhalation: No significant health hazard
Chronic Inhalation: None
Acute Eye Contact: Mechanical Irritation
Carcinogenicity: None

IV –First Aid Measures

Eyes: N/A
Skin: N/A
Inhalation: N/A
Ingestion: N/A

V –Fire Fighting Measures

Flash Point: N/A
Flammable Limits:

Upper Explosive Limit: N/A
Lower Explosive Limit: N/A
Extinguisher Media: Foam, CO2, Dry Chemical
Special Fire Fighting Procedures: None

VI – Accidental Release Measures

Contain and remove by mechanical means.

VII – Handling and Storage

Storage Temperature (Min/Max): Ambient
Shelf Life: 2 years
Special Sensitivity: N/A
Handling/Storage Precautions: Keep away from flame or excessive heat.

VIII – Exposure Controls / Personal Protection

Ventilation Requirements:
Adequate Ventilation Practice
Personal Protective Equipment:
Respiratory Protection: None
Eye Protection: None
Skin Protection: None

X – Physical and Chemical Properties

Physical Form: Solid
Color: Amber and F.D.A. allowable colors.
Odor: Characteristic odor.
PH: N/A
Boiling Point: N/A
Melting – Freezing Point: N/A
Solubility in Water: Insoluble
Specific Gravity: .95 (In Water = 1)
Bulk Density: N/A
% Volatile by Volume: N/A
Vapor Pressure: N/A

X – Stability and Reactivity

Stability:
Unstable () Stable (X)
Conditions to Avoid: Flames or Excessive Heat.
Incompatibility:
Material to Avoid: None Known
Hazardous Decomposition Products:
By fire; Oxides of Carbon when burned.
Hazardous Polymerization:
May Occur () Will Not Occur (X)
Conditions to Avoid:
Overheating
HMIS Ratings: Health: 0 / Flammability: 0 / Reactivity: 0

XI–Toxicological Information

Toxicity tests have not been conducted on this product.

XII – Ecological Information

None

XIII-Disposal Considerations

In accordance to Federal, State, or Local Regulations.

XIV-Transportation Information

Technical Shipping Name: Rubber, Natural, Tubing

Freight Class Bulk: N/A

Freight Class Packaged: N/A

Product Label: N/A

Hazard Class or Division: Non-Hazardous

Hazard Class or Division Number: Not Hazardous by D.O.T. Regulations.

XV-Regulatory Information

SARA TITLE III:

Section 302 Extremely hazardous Substances: None

Section 311/312 hazard Categories: None

Section 313 Toxic Chemicals: None

RERA Status: Non-Hazardous

XVI–Other Information

Note: While the information and recommendations set forth on this data sheet are believed to be accurate as received from our suppliers, RMO, Inc. makes no warranty with respect thereto and disclaims all liability from reliance thereon.